

Building Product Information Sheet



Product name/identifier	Pietra Salt Supertec											
Nominal format in cm	60 x 60											
Thickness in mm (approx.)	9											
Material	Glazed porcelain											
Surface	Supertec											
Rectified edges	Yes											
Surface slip rating if applicable	SRV: 49 / P4											
Weight per m2 (approx.)	21 Kgs											
Box size	4 tiles / 1.44 m2											
PEI Rating	4											
Intended use	Designed for floor and wall tiling of residential and light commercial applications with regular foot traffic. The surface allows for use in many exterior applications but some projects may require special surfaces so always check with the specifier.											
Variation rating	2 : This number provides moderate shade and pattern variations. Pieces will vary, yet be similar to each other in colour and/or pattern variations. Each piece of tile may have different colours, patterns, and shades.											
Country of manufacture	China											
Importer website	www.independentceramics.co.nz											
Importer email & phone	admin@indcer.co.nz / 09 527 4990											
Relevant information	<table border="1"> <tr> <td colspan="3">AS 4586-2013/Amdt 1-2017 <i>Slip resistance classification of new pedestrian surface materials</i></td> </tr> <tr> <td>检验项目 Test Item</td> <td>检验方法 Test Method</td> <td>检验结果 Test Result</td> </tr> <tr> <td>防滑性能, 摆锤法, 湿法, Slider 96 Slip resistance, Wet pendulum test method, Slider 96</td> <td>AS 4586-2013/Amdt 1-2017 Appendix A 附录 A</td> <td>SRV: 49 类别 Class: P4</td> </tr> </table>			AS 4586-2013/Amdt 1-2017 <i>Slip resistance classification of new pedestrian surface materials</i>			检验项目 Test Item	检验方法 Test Method	检验结果 Test Result	防滑性能, 摆锤法, 湿法, Slider 96 Slip resistance, Wet pendulum test method, Slider 96	AS 4586-2013/Amdt 1-2017 Appendix A 附录 A	SRV: 49 类别 Class: P4
AS 4586-2013/Amdt 1-2017 <i>Slip resistance classification of new pedestrian surface materials</i>												
检验项目 Test Item	检验方法 Test Method	检验结果 Test Result										
防滑性能, 摆锤法, 湿法, Slider 96 Slip resistance, Wet pendulum test method, Slider 96	AS 4586-2013/Amdt 1-2017 Appendix A 附录 A	SRV: 49 类别 Class: P4										